

OD35E-48 SERIES – DAIRY OPEN MERCHANDISER

48" MAXIMUM WIDTH – 78.5" HEIGHT

STRAIGHT SIDES – ENDLESS DESIGN



MODEL NO.	DESCRIPTION	LENGTH	DEPTH	HEIGHT	VOLTAGE	AMPS	HP/BTUS	POWER CORD	EST. SHIP WEIGHT
SC-OD35E-48-LED	Self Contained	48"	34.5"	78.5"	115/208-230	13.0	3/4	L14-20P	965
SC-OD35E-48-B-LED	Self Contained	48"	34.5"	78.5"	115/208-230	13.0	3/4	L14-20P	965
SC-OD35E-48-S-LED	Self Contained	48"	34.5"	78.5"	115/208-230	13.0	3/4	L14-20P	965

(ALL WHITE OR ALL BLACK, NO EXTRA CHARGE—IF COLORS ARE MIXED AN ADDITIONAL CHARGE WILL APPLY)

Prefix	Suffix
SC = Self Contained	B = Black
R = Remote	W = White
	S = Stainless Steel
	LED = LED lighting

- Cases are designed to operate at 75 degrees Fahrenheit and 55% relative humidity
- Cases are equipped with drains; check your local building codes for connection requirements.
- Specification subject to change without notice



Howard McCray • 831 East Cayuga St • Philadelphia, PA 19124 USA • (215) 464-6800
 1-800-344-8222 • Fax (215) 969-4890 • E-Mail: sales@howardmccray.com • www.howardmccray.com

OD35E-48 SERIES – DAIRY OPEN MERCHANDISER 48" MAXIMUM WIDTH – 78.5" HEIGHT STRAIGHT SIDES – ENDLESS DESIGN

STANDARD SPECIFICATIONS AND OPTIONAL FEATURES

CONSTRUCTION

- UL Classified to ANSI/NSF 7
- Foamed in place CFC free foam
- Heavy gauge steel super structure
- Multi deck
- Endless design allows for continuous line up

INTERIOR

- White, black, or stainless steel end panels
- Removable white, black, or stainless steel floor pans
- White, black, or stainless steel perforated rear wall (for even air distribution)
- Full length lighting at top of unit
- 4 levels of lighted shelving
- 5 levels of product display
- Stylish price tag molding on each shelf

EXTERIOR

- White, black, or stainless steel ends and front
- Removeable front grill allows for cleaning and servicing
- 1" bumper
- Choice of end panels

FINISHES

- White, black, or stainless steel front rail
- White, black, or stainless steel end trim
- Laminate, and custom paints available
- White, black, or stainless steel end panels
- White, black, or stainless steel rear panels

LIGHTING

- 1 row at inside top of unit
- 4 rows of lighted shelving

ELECTRICAL REQUIREMENTS

- Self contained unit comes with cord and plug
- UL/CUL listed
- See Tech page for details on voltage

REFRIGERATION

- Low velocity fans located below deck area (to insure even flow of air)
- Electronic Control System with automatic air defrost to maintain balanced temperatures
- New high efficiency air screen technology
- Self contained system
- Copeland hermetic unit
- Remotes available

OPTIONAL FEATURES

- Solid state lighting
- Night covers
- Security cover
- Peg bars
- Insulated divider for line ups
- Plexiglas divider for line ups
- Stainless steel, laminated or paint
- Product stops on shelving
- 4 different end panel choices
- Digital thermometer

IMPORTANT NOTE:

ALL REFRIGERATED CASES ARE DESIGNED TO OPERATE IN AN ENVIRONMENT OF 75 DEGREES AND 55% RELATIVE HUMIDITY.

PRODUCT MUST BE COOLED BEFORE BEING DISPLAYED WITHIN THE CASE.

DRAIN IS REQUIRED

OD35E-48 SERIES – DAIRY OPEN MERCHANDISER
48" MAXIMUM WIDTH – 78.5" HEIGHT
STRAIGHT SIDES – ENDLESS DESIGN

TECHNICAL DATA

Model No.	SC-OD35E-48-LED
Length with (2) ends	51"
Length without ends	48"
Height with ends	78.5"
Height without ends	78"
Depth with ends	34.5"
Depth without ends	34.25"
Endless design (Dimensions are +/- 1/4")	YES
Operating temperature	36°F to 40°F
Refrigerant (exp. valve)	Self-Contained
Compressor size HP	3/4
Defrost per day (24 hours)	Air Defrost 6 per day
Voltage	115/208-230
Amperage	13
Cord and plug	L14-20P
Exterior color	W, B, S
Interior color	W, B, S
# of rows / shelves	4 / 4
Shelf Size	(4) 18"
Shipping Info	
Height	86"
Depth	44"
Length	61"
Gross weight SC	965
Cubic feet	130

- Cases are designed to operate at 75 degrees Fahrenheit and 55% relative humidity
- Cases are equipped with drains; check your local building codes for connection requirements.
- Specification subject to change without notice

OD35E-48 SERIES - DAIRY OPEN MERCHANDISER 48" MAXIMUM WIDTH - 78.5" HEIGHT STRAIGHT SIDES - ENDLESS DESIGN

DRAWINGS -SIDE VIEW - FRONT VIEW - FLOOR PLAN

